



4" SUMP X TTMA
4" SUMP X VICTAULIC

F7001-041




F7000-041



EMERGENCY VALVES

F7011-041




F7010-041



880-4301-01 4" X 4" VICTAULIC OUTLET



880-431-01 4" X 4" TTMA OUTLET




880-433-01 4" X 4" FLANGED OUTLET AIR OPERATED



880-432-01 4" X 4" VICTAULIC OUTLET AIR OPERATED



880-449-01 3" X 3" VICTAULIC OUTLET MECHANICAL
880-456-01 3" X 3" VICTAULIC OUTLET AIR OPERATED



603 Manual Series

Emergency Valves

For Tank Trucks... External shear section is provided on each valve. Valve is supplied with a U-bolt type cable clamp on the handle. Fusible metal plate (250° F) is equipped on each valve. Optional plunger bale available.

Fig. 603ALC... male adapter outlet with inlet screen. Available with dust cap and without.

Fig. 603ALV... elbow style valve with victaulic outlet. Aluminum body and cap, stainless steel spring, Buna-N disc. Teflon® and Viton® options available.

Fig. 603ATV... same as 603ALV, but "tee-style" valve with victaulic connections. Teflon® not available.

Fig. 603ALF... same as 603ALV, but with flanged outlet for 2", 3" and 4".

Fig. 603C... outlet companion flanges. Aluminum, TTMA flanges with optional gaskets.




Fig. 603ALF



Fig. 603ALV




Fig. 603ATV



Fig. 603C



Fig. 603ALC

Options/Weight

2", 3" and 4" inlet screen available and sold separately.

Size	603ALV Weight (lbs)	603ATV Weight (lbs)	603ALF Weight (lbs)	603C Weight (lbs)	603ALC Weight (lbs)
2"	7.75	NA	7.75	NA	7.50
3" (3 x 3)	8.25	7.75	8.25	1.5	NA
4" x 4"	NA	NA	12.5	1.75	NA

603 Air Actuated Series

Emergency Valves

For Tank Trucks... Fits standard TTMA Sump. Field Replaceable Bimba® Pneumatic Cylinder. Redundant (manual override) jackscrew allows product to be released in the event of an air system failure. Tapered seat for positive seal. Viton cylinder sleeve seals. 1/8" NPT air ports. 212° fusible port supplied. Body casting made from Aluminum. Quick exhaust fitting optional.

Fig. 603AAF... flanged. Available with Buna, Teflon® or Viton.

Fig. 603AAV... victaulic. Available with Buna, Teflon® or Viton.



4" Flanged



3" Flanged

Options

3" and 4" inlet screen available and sold separately.

Size	603AAF Weight (lbs)	603AAV Weight (lbs)
3"	6.7	7.2
4"	12.0	NA